

ORDER FORM/PRICE LIST

Revised September 2024

Ordered by/ Quoted to:

Name: _____

Address: _____

City, State ZIP: _____

Phone: _____

Email: _____

Payment information:

CC: _____

Exp.Date: _____ CVV: _____

Billing address: _____

Signature: _____

Date: ____/____/____

Term and Conditions :

KARI strollers are made in Germany and custom built ONLY! Delivery time 6-8 weeks (Subject to change.) Production starts after receipt of payment.

Returns are not accepted.

Ships with TForce or ABF Freight business or residential delivery, fully insured, packed on a pallet. For residential, the freight company will call to make a delivery appointment with consignee, signature is required. Do not accept the shipment if your package is damaged.

*SHIPPING: \$495.00 (US Only / AK, HI excluded)

*Shipping to Canada + Brokerage TBD

TOTAL: _____



KARI STROLLER INCLUDES:

- Padded material (seat & back)
- Adjustable footrest (height & angle)
- Adjustable center of gravity
- Adjustable suspension shock absorbers
- Adjustable push handles with hand brakes
- Adjustable seat angle up to 30 degree
- Powder coated aluminum frame
- 16" rear wheels with drum brakes (quick release)
- 12.5" front jogging wheel
- Canopy with top window
- Separate hand brakes
- Anti-tip support with tip bar
- 5-point harness



Footrest, adjustable to lower leg length



Seat angle adjustment and suspension



Foldable



Attendant brake with parking function




Seat depth adjustment

ITEM #	DESCRIPTION	USD
<input type="checkbox"/> KK-30002	KARI Size S (Seat depth 10-13" Up to 4'5" tall and 110 lb.)	\$5,495.00
<input type="checkbox"/> KK-30003	KARI Size M (Seat depth 12-17" Up to 5'4" tall and 155 lb.)	\$5,695.00
<input type="checkbox"/> KK-30004	KARI Size L (Seat depth 13-19" Up to 6' tall and 200 lb.)	\$6,195.00

COLOR

Frame Color



KK-13650
Grey-Metallic



KK-13660
Black-Matt


Fabric Color



KK-13600
Light Grey



KK-13601
Ocean Blue



KK-13603
Lime Green



KK-13602
Strawberry Red



KK-13608
Plum Purple



KK-13609
Navy Blue

OPTIONS

ITEM #	DESCRIPTION	USD
<input type="checkbox"/> KK-15401	KARI Height Adjustable Anti-tipper, left	\$170.00
<input type="checkbox"/> KK-15402	KARI Height Adjustable Anti-tipper, right	\$170.00
<input type="checkbox"/> KK-12810	KARI Surcharge for Reinforce Seat Angle Adjustment / Suspension (recommended for user weight of 121lbs+)	\$385.00
<input type="checkbox"/> KK-12850	KARI Adjustable Backrest Recline Quick Release Lever	\$650.00



The back angle is easily adjustable and can be adjusted in the range of 110° - 160° (depending on the seat angle). In combination with the seat tilt, a comfortable position can be created.

- **Requires Anti-tipper on both sides (KK-15401+KK15402)**



Adapter System for Front Wheels *included*

Thanks to the adapter system, JOSI-pro can be quickly and easily adapted to the conditions. As an additional advantage, the pack size can be significantly reduced by removing the front wheels. Lifting is easier due to the reduced weight and smaller pack size.

<input type="checkbox"/> KK-15300	KARI Rain Cover	\$275.00
<input type="checkbox"/> KK-15600	KARI Mosquito Net	\$265.00

REAR & FRONT WHEELS

<input type="checkbox"/>	KK-12916	KARI 16" Rear Wheel (pneumatic)	N/C
<input type="checkbox"/>	KK-12920	KARI 20" Rear Wheel (pneumatic)	\$345.00
<input type="checkbox"/>	JJ-ALLTERRAIN	KARI All Terrain 20" Wheel set complete with 4" tires*	\$625.00
		<i>*Must purchase 20" rear wheels / All terrain will not work with 16" axle plate set up</i>	
<input type="checkbox"/>	JJ-SPOKECOVER	KARI Spoke Cover for 20" wheels	\$175.00



<input type="checkbox"/>	KK-14100	12.5" Jogging Wheel	N/C
<input type="checkbox"/>	KK-14101	8" Swivel Wheel instead of Jogging Wheel	\$95.00
<input type="checkbox"/>	KK-14102	8" Swivel Wheel in addition to Jogging Wheel	\$395.00



<input type="checkbox"/>	KK-14200	12.5" Pro Front Wheel (adjustable from fixed to swivel) (in exchange for standard jogging wheel)	\$460.00
<input type="checkbox"/>	KK-14201	12.5" Pro Front Wheel (adjustable from fixed to swivel) (in addition to standard jogging wheel)	\$675.00

NOTE: The 12.5" Pro Front Wheel combines the advantages of the swivel wheel and the fixed front wheel in one. The 12.5" swivel wheel can be locked. This means that uneven pavements or unpaved roads are no problem. As a further advantage, the directional stability can be finely adjusted.

SEATING & POSITIONING



KK-10101 \$260.00
KARI Contoured Hardrest



KK-10102 \$225.00
KARI Advanced Hardrest



KK-10305 \$90.00
KARI Abduction Wedge



KK-10301 \$130.00
KARI Comfort Cushion
anatomically shaped with memory foam (in exchange for the standard seat cushion)

SEATING & POSITIONING

Adjustable Lateral Supports and Back Pad Options



The pad system can be adjusted in both width and mounting position and can be used for a wide variety of positions. The flexible back system adapts to the body.

A back cushion is required when using the pads. For more flexibility and support, the pad system, pro is recommended - see extended range of functions

<input type="checkbox"/>	KK-11211	KARI Back Cushion Size 1	Chest Width 6-10"	\$100.00
<input type="checkbox"/>	KK-10212	KARI Back Cushion Size 2	Chest Width 8.5-12.5"	\$115.00
<input type="checkbox"/>	KK-10213	KARI Back Cushion Size 3	Chest Width 12-16"	\$130.00
<input type="checkbox"/>	KK-10201	KARI Thoracic Lateral Pad Size 1	(4x5)	\$300.00
<input type="checkbox"/>	KK-10202	KARI Thoracic Lateral Pad Size 2	(5x7)	\$330.00

Harnesses



KK-10790 **KARI Five-Point Belt, adjustable** N/C

The five-point harness is adjustable in height and length. In addition, the five-point harness has pads which are held in position by Velcro. The adjustable strap length adapts to the size of KARI

ACCESSORIES



KK-12500 **Extended Canopy** \$225.00

The sun canopy offers protection against both sun and rain. Due to the stable aluminium construction, it additionally protects the side area of the head. There are two zips at the front to attach the sun canopy extension, rain cover or mosquito net (two options can be used at the same time).




KK-JP-15200 **Kari Bicycle Rod Attachment with Camber Tracking Widening** \$495.00

ACCESSORIES



- KK-15100 Removable Bag** \$265.00
- The splash-proof bag is attached to the lower frame structure. It can be used open as a storage net or closed. Due to the mounting on the axle, 12lb max load



- KK-15110 Vent Tray** \$705.00
- The platform can support loads of up to 15 kg and is equipped with mounting points. A floor pad and fastening material for webbing up to 40 mm are included in the




- KK-10221 Thigh Lateral Pads - Size 1 (4 x 5)** \$360.00
- KK-10222 Thigh Lateral Pads - Size 2 (5 x 7)** \$375.00

The pads are available in two different sizes. The pad can be rotated in 90° steps. Due to the two sizes and the infinitely variable adjustment, the pad can be used in all body positions. The mounting positions are possible at seat, leg, upper body and head position.

TECHINAL DATA

	Size S	Size M	Size L	
12.5" rigid front wheel:				
Length in basic position, depending on adjustment push handle: L1 - L2 Air pressure	52"-60.5" 1.8 bar	55"-64.5" 1.8 bar	58"-71.5" 1.8 bar	
8" swivel wheel:				
Length in basic position, depending on adjustment push handle: L1 - L2 Air pressure	45.5"-54" 2.5 bar	49"-60" 2.5 bar	52"-65.5" 2.5 bar	
8" swivel wheel duo:				
Length in basic position, depending on adjustment push handle: L1 - L2 Air pressure	42"-50" 2.5 bar	45"-56" 2.5 bar	48"-62" 2.5 bar	
12.5" Front Wheel Pro:				
Length in basic position, depending on adjustment push handle: L1 - L2 Air pressure	53"-62" 1.8 bar	56"-67" 1.8 bar	63"-77.5" 1.8 bar	

TECHINAL DATA





JOSI-pro Article number	Size S JP-30002	Size M JP-30003	Size L JP-30004
Body size	approx. 3'44"-4'75"	approx. 4'1"-5'4"	approx 4'9"-6'
Height: H	50"	53"	54"
Length: L	see next table	see next table	see next table
Track width: B	25"	26.5"	28.5"
Inner width/seat width: I	14"	16.5"	18"
Seat height: M (incl. cushion)	22.5"	22.5"	23"
Seat depth	10"-15.5"	12"-17.5"	13.5"-20"
Lower leg length	up to 14"	up to 16.5"	up to 18.5"
Total back height	31.5"	35.5"	37.4"
Packing dimensions: WTH	21.5"x40"x23"	23.5"x41"x24.5"	25.5"x43"x26"
Payload / user weight	max. 110lbs	max. 154lbs	max. 200lbs
Additional payload bag	max. 11lbs	max. 110lbs	max. 110lbs
Additional payload platform med. devices	max. 33lbs	max. 110lbs	max. 110lbs
Weight (frame with covering)	36lbs	39.5lbs	44lbs
Rear wheels, pneum. tyres	16" / 20"	16" / 20"	16" / 20"
Air pressure rear wheels	2.0 bar (16" & 20")	2.0 bar (16" & 20")	2.0 bar (16" & 20")
Front wheels, pneum. tyres	see next table	see next table	see next table
Wheel camber	0°	0°	0°
Seat angle	approx. 10° - 30°	approx. 10° - 30°	approx. 10° - 30°
Back angle (optional)	approx. 110° - 160°	approx. 110° - 160°	approx. 110° - 160°



Imported and distributed into the USA & Canada by
Mobility & Access, Inc.
 306 High Tech Drive, Oakdale, PA 15071
 Phone (724) 695-1590 Fax (724) 695-1593
 TAX ID#: 20-8037554

KARI Stroller

info@mobilityaccess.com
 www.mobilityaccess.com
  @mobilityandaccess